



Plasma and LCD

The films you enjoy, the games you play, the work you do – compromise just isn't an option. Exactly the same goes for your flat panel display.


Everyone is different. Hitachi flat panel displays are designed with that in mind. Whether it's Plasma or LCD you're looking for, we have the perfect option to fit into your life. Both technologies offer the same outstanding performance, crystal clear images and awe-inspiring sound. But Plasma and LCD have unique characteristics that make them suited to different situations.

For the busy professional on the go, someone who needs to catch the headlines on their way out to work, LCD TVs are the ideal choice. Optimum viewing performance combines with smaller screen size to make the LCD particularly well suited for the bedroom or kitchen. As they're smaller, LCD displays are ideal for when you need to get close to the screen. They can also be used as a monitor for your PC needs.

Plasma displays are generally larger, coming in sizes up to a sensational 141cm visible (55PD5200). You can make a bigger impact with your home entertainment system. With a wide viewing angle, you get the same superb image wherever you are in the room – so no-one misses a single detail of their favourite programme or movie.

Ideal for wall mounting, our Plasma and LCD flat panel displays are the perfect addition to any living environment – and our cutting-edge designs make them a feature of which you can be truly proud.

However you live your life, we've got the TV to fit.





Your lifestyle, your TV

Hitachi's flat screen TVs are designed to fit in with your life. With the range of TVs on offer, you don't have to compromise on functionality or looks.

Keep up with your favourite programme while preparing a meal. Flat panel TVs are so slim and compact, you can fit a bigger screen than you thought into a smaller space.

Advanced technology means that wanting the full home cinema experience doesn't have to take up half your living room. Plasma technology enables the creation of slender, lightweight TVs that can be hung on the wall like a picture.

The range and number of connections means you can plug whatever you want into your TV, from DVD Recorders to set-top boxes to a PC.











Picture perfect

PICTURE MASTER

PICTURE MASTER Technology is the power behind the amazing pictures you see on our PICTURE MASTER range of flat panel TVs (42PD7500, 42PD7200 and 32LD7200). Like all the best ideas, it's easily explained.

The H^a Plasma Panel and IPS LCD Panel are the 'canvas' on which the picture is drawn. The pixels are the 'paint' which is used to draw the picture. PICTURE MASTER Technology acts like a 'brain' to continuously monitor the picture, using histogram analysis, and making adjustments in real time to provide you with optimum picture performance. It is the 'thinking' behind every single scene.

Continual histogram analysis of each scene allows TVs with PICTURE MASTER Technology to control and adapt the gamma/contrast level of the scene in real time, as well as performing image enhancement, ensuring that what you see on the screen is the best possible picture.

In addition, the advanced ALIS Plasma Panel from Hitachi is the first in the industry to offer a 1200cd/m² (42PD7500 and 42PD7200) phosphor spread area, resulting in a much brighter panel. What's more, the lighting efficiency of blue and green within the panel display have been radically improved, and the newly developed Dynamic MBP filter brings new levels of control to the management of panel brightness, whilst improving the reproduction of black.



Bringing all these technological advances together, PICTURE MASTER Technology from Hitachi means your TV benefits from improved contrast, less visual noise in dark scenes, much sharper edges – and up to a staggering 68.6 billion colours. This combination of features means Hitachi Plasma and LCD flat panel displays offer you the highest available picture quality – perfect for DVD, games and the future of High Definition TV.







The power of the future – today

HDTV

High Definition Television (HDTV) is a revolution about to be unleashed on the world of broadcasting. Bringing much higher picture quality, you've never had it – or seen it – so good.

Starting in Europe in 2006, HDTV will offer the best TV picture quality ever seen. At present, most people use either an analogue signal or a standard definition digital signal (SDTV) to receive broadcast television. HDTV will be a step beyond even the great improvement of digital SDTV.

While there is still some discussion about what is true HDTV, it's generally accepted that 1,080-line interlaced (1080i) or 720-line progressive (720p) are considered as HDTV. As a result HDTV uses many more pixels than present services offer, creating the strongest and most detailed TV image you can have. It's even sharper than a DVD is at present.

The majority of Plasma Televisions sold today are not HDTV ready. But thanks to Plasma and LCD technology from Hitachi, you can now future-proof your purchase by choosing a TV that is fully compatible with the new standard. Only HDTV ready panels such as ours will be capable of displaying high definition digital sources.

Thanks to our revolutionary flat screen technology, Hitachi flat panel displays are the ideal choice if you're thinking of investing in a TV today. You need a display that's ready to cope with the extra demands that HDTV puts on your equipment.

Home entertainment is an investment that should last. With an expected lifespan of up to 60,000 hours, Hitachi flat panel displays will be making a real difference to your life for many years to come. Embrace the future of HDTV today.

The "HD ready" Logo is a trademark of EICTA.



Standard resolution



HDT

I³ Improved Intelligent Image chip

Hitachi's uncompromising approach to visual excellence extends to the very heart of our flat panel TVs. Our new I³ (Improved Intelligent Image chip) processor works non-stop to bring you optimised picture quality, whatever the source. In fact, the chip reduces visible video signal conversion artefacts from every kind of signal – including High Definition – to create unparalleled levels of contrast.

What's more, I³ provides cinema-like motion video quality from every type of video source material. Its advanced 3D Comb Filter removes picture colour interference and combines with our proprietary high quality picture digital processing to give crisper, sharper pictures whatever the action.

I³'s Advanced Digital Colour Management means you see vivid colour, with dynamic skin-colour correction and white balance control.

The result? Truly breathtaking visuals, bringing you closer than ever to the action.

3DS

Wirefree home cinema. The stuff of dreams is now a reality, with Hitachi's advanced 3DS (3 Dimensional Spatial Sound) process. Advanced audio algorithms give the listener the surround sound feel – without the need for extra speakers or wires. With 3DS you can have cinema acoustics in your living room without compromising your living space.



55PD5200 Plasma TV

We believe that when it comes to home entertainment, nothing less than the very best will do. Hitachi flat panel displays are designed to fit right in with your life. That's why the 55PD5200 is a Plasma TV that has no compromises.

Home entertainment systems are a purchase no-one makes lightly. With technology developing all the time, you need to know that your investment is protected against whatever changes may come.

The 55PD5200 – our flagship 141cm visible Plasma TV – combines the latest PICTURE MASTER Technology with HDTV compatibility*, so you'll benefit from the very best in broadcasting as soon as it becomes available.

With an expected lifespan of up to 60,000 hours, the 55PD5200 offers an average of 20 years' viewing time – giving you an even better return on your investment.

The 55PD5200 makes the ultimate design statement. Sleek and slender, it will attract admiring looks whether it's turned on or off. The simplicity and sophistication of the design work perfectly in any environment. You can be sure that – no matter how tastes change – your Plasma TV will still fit your life perfectly.

* HD compatibile (DVI socket supports 1080i 50/60 and 720p 50/60. Y'Pb'Pr' supports 1080i 50/60 and 720p 60)





No compromise

Flat panel displays from Hitachi make a powerful statement about the way you live your life.

Sleek and sophisticated, the 55PD5200 comes with our PICTURE MASTER Technology to ensure an unparalleled viewing experience.



PICTURE MASTER Technology





Standard picture



With PICTURE MASTER

Hitachi's PICTURE MASTER Technology, like all the best ideas, is easily explained. But behind the elegant simplicity of our flat panel TVs, there's a whole lot going on.

Hitachi is leading the way in the flat panel industry worldwide with the PICTURE MASTER system, which has been specifically designed to get the very best from our high quality Plasma and LCD panels.

PICTURE MASTER uniquely combines industryleading technology with sophisticated process engineering. Simultaneous hi-tech processes work together to guarantee a startling leap forward in picture quality.

It all begins with **Full Digital Signal Processing and Scaling.** Every single picture treatment is made digitally: even incoming analogue signals are converted to digital. Some conventional TVs can cause noise and image signal degradation as they enhance the picture. But Hitachi's technology does away with this, and ensures that the signal remains pure and clean all through the picture enhancement process.

Then there's the **High Quality Digital Image Pixel Processing Technology**, which analyses in detail each pixel in every image signal. This uses two hi-tech chips working together to handle the full digitising process.

Firstly, the new **1024 Progressive Processing** system upscales incoming signals, ensuring that the incoming material is adapted for optimal display on our high definition panels. This is combined with an advanced **3D Comb Filter** to add extra pixels and create unparalleled levels of sharpness and detail.

This capability means that our panels are ready for the next generation of **high definition TV** (HDTV), which begins European transmission in 2006. HDTV will be a massive leap forward in

picture quality, with a huge increase in pixel information. Hitachi have therefore future-proofed their PICTURE MASTER TVs. So you can be safe in the knowledge that Hitachi flat panel technology is durable as well as elegant.

The second chip, carrying out the **Super Dynamic Contrast** function, is designed to make the most of challenging light conditions. It deals with low light in incoming signals, but also in the ambient lighting conditions where the panel is situated. It analyses pictures and carries out adjustments to improve signal quality. This then means that picture quality in dark scenes is enhanced and the panel displays deeper and richer blacks.

What's more, every PICTURE MASTER TV also offers unparalleled colour reproduction. The cutting-edge virtual 12-bit **Advanced Digital Colour Management** reproduces 4,093 gradations per colour, giving our Plasma TVs the ability to display an extraordinary 68.6 billion colours. Our LCD TVs can achieve 1.06 billion colours using 10-bit **Advanced Digital Colour Management**.

Finally, there's the **High Quality Video Motion** processing system. Previous-generation flat screens often suffered from blurring effects, but Hitachi technology ensures that all the on-screen motion looks absolutely natural, smooth and sharp. To manage the fine detail and massive number of extra pixels created by PICTURE MASTER, our panels use a **High Speed Calculation** process. This controls the frame of every picture and manages the movement of every single on-screen pixel to avoid any blurring.

This combination of Hitachi's unique technologies gives our 7000 Series state-of-theart picture quality, setting new standards in picture resolution.



The "HD ready" Logo is a trademark of EICTA.

PICTURE MASTER Range



42PD7200

PLASMA

42PD7500

PLASMA



PICTURE MASTER Flat Panel TVs feature new motorised swivel stand.



55PD5200

PLASMA

This truly astounding 55PD5200 Plasma display combines the highest in taste with sublime performance. Choose this 141cm visible Plasma TV when you require high impact visuals and sound. Image is everything.











- 141cm Visible Plasma Widescreen Television
- H³ Panel and I² Advanced Intelligent Image Chip
- High Resolution E-ALIS Technology
- High Screen Resolution of 1366 x 768 pixels for Superb Pictures
- Ultra Slim Design
- Comprehensive Computer and Video Input
- HD compatibile (DVI socket supports 1080i 50/60 and 720p 50/60. Y'Pb'Pr' supports 1080i 50/60 and 720p 60)
- Panel Luminance of 1000cd/m²
- Swivel Stand

42PD7200

PLASMA

When only the very best will do, the 42PD7200 is the choice for you. Suited to any environment, particularly in open spaces. With its in-built motorised swivel stand, you get perfect viewing and crystal clear sound from wherever you're sitting - or standing.











- 106cm Visible Plasma Widescreen Television
- PICTURE MASTER Advanced Processor
- HD Ready
- New H⁴ Panel
- Ultra Slim Design
- Motorised Swivel Stand
- High Screen Resolution of 1024 x 1024 pixels
- 3 x SCART Sockets (RGB)











42PD7500

PLASMA

The 42PD7500 has the same outstanding features as the 42PD7200 plus an integrated Digital TV Tuner so you have instant access to FREEVIEW™*.

42PD7500 only available in the UK.







Please check FREEVIEW™ coverage in your area. Text your postcode to 83331 (Standard network charges apply).

FREEVIEWIM and logo o DTV Services Ltd 2002. All channels are subject to coverage and may be changed from time to time. Aerial upgrade maybe required.

The Digital logo is a Certification Mark.

DVB is a registered trademark of the DVB Project.
HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.





42PD6600

PLASMA

The future's here. With stunning visuals, the 42PD6600 is High Definition TV Ready – so you're ready for the next generation in broadcasting. Now.













- 106cm Visible Plasma Widescreen Television
- HD Ready
- HDMI and Component Sockets
- High Screen Resolution of 1024 x 1024 pixels
- 3 x SCART Sockets (2 x RGB)
- Panel Luminance of 1200 cd/m²
- Contrast Ratio 1000:1
- 2 x 10W RMS Output

HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.







42PD3200

PLASMA

Your home combines style and substance. And now you can demand the same from your TV. The 42PD3200 gives you brilliant colour and the richest sound.

- 106cm Visible Plasma Widescreen Television
- VGA Resolution of 852 x 480 Pixels
- 3 x SCART Sockets (2 x RGB)
- Panel Luminance 1500cd/m²
- Contrast Ratio 10,000:1



LCD

Bring the world into your living room with the stunning 37LD6600. Hitachi's technology gives you stunning performance from an ultra-slim LCD screen.









The "HD ready" Logo is a trademark of EICTA.



HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.



In Plane Switching

Wider viewing angle and better image quality are achieved through controlling the passage of light. As the LCD shutter elements rotate on an even, horizontal plane,Hitachi LCD displays offer optimum control of in-going and out-going light.



- 94cm Visible LCD Widescreen Television
- HD Ready
- High Screen Resolution of 1366 x 768 Pixels
- 2 x SCART Sockets
- HDMI and Component Sockets
- Side Input Terminal
- Panel Luminance of 500 cd/m²
- Contrast Ratio 800:1 (typ)
- 2 x 8W RMS Output

LCD

For outstanding performance, slenderness and light weight, the 32LD7200 is the perfect choice. Featuring PICTURE MASTER Technology and an excellent sound system, this LCD TV is an ideal additional to your living room.







The "HD ready" Logo is a trademark of EICTA.





■ 81cm Visible LCD Widescreen Television

- PICTURE MASTER Advanced Processor
- HD Ready
- Incorporates Hitachi's new Super IPS LCD Panel
- Ultra Slim Design
- Motorised Swivel Stand
- High Screen Resolution of 1366 x 768 pixels
- 3 x SCART Sockets (RGB)

In Plane Switching

In Prane Switching
Wider viewing angle and better image
quality are achieved through controlling the
passage of light. As the LCD shuter
elements rotate on an even, horizontal
plane, Hitachi LCD displays offer optimum
control of in-going and out-going light.

HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.





July 2005





June 2005

August 2005

LCD

Ready to play when you are, the 32LD6600 will be at the centre of your home entertainment system. Crystal-clear pictures, elegant design and ready to handle all your gaming and home cinema needs including High Definition.










The "HD ready" Logo is a trademark of FICTA

- 82cm Visible LCD Widescreen Television
- HD Ready
- High Screen Resolution of 1366 x 768 Pixels
- 2 x SCART Sockets
- HDMI and Component Sockets
- Side Input Terminal
- 2 x 8W RMS Output





LCD

This 32LD6200 offers an outstanding viewing angle and crystal clear images. Combined with elegant design, this LCD TV would add a sense of style and luxury to any bedroom.





- 82cm Visible LCD Widescreen Television
 Ultra Slim Design
 High Screen Resolution of 1366 x 768 pixels
 2 x SCART Sockets (RGB)
- Panel Luminance of 550 cd/m²
- Built-in Speakers
- 2 x 8W RMS Output





LCD

Designed to fit with your life, the 26LD6600 lets you streamline your living space whilst enjoying high definition sound and visuals.





- 66cm Visible LCD Widescreen Television
- High Screen Resolution of 1280 x 768 pixels
- 2 x SCART Sockets
- HDMI and Component sockets
- Side Input Terminal
- 2 x 8W RMS Output







The "HD ready" Logo is a trademark of EICTA.

*Logo is HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

HDM

26LD6200

The 26LD6200 LCD TV offers the combination of a small footprint and outstanding picture and sound. Perfect style and setting, this panel display allows you to minimise clutter and get the highest quality pictures from anywhere in the house.



- 66cm Visible LCD Widescreen Television
- Ultra Slim Design
- High Screen Resolution of 1280 x 768 pixels
- 2 x SCART Sockets (RGB)
- Panel Luminance of 450 cd/m²
- Built-in Speakers
- 2 x 8W RMS Output



LCD

For a flat panel display with sleek contemporary design in a compact format, look no further than the 17LD6200. High quality entertainment, wherever you need it in your home.



- 43cm Visible LCD Widescreen Television
- Ultra Slim Design
- High Screen Resolution of 1280 x 768 pixels
- 2 SCART Sockets (RGB)
- Panel Luminance of 450cd/m²
- Built-in Speakers
- 2 x 3W RMS Output



17LD4220

LCD

When you need all the versatility of a flat panel display in the most compact of designs, Hitachi delivers. Thanks to its ultra slim, ultra lightweight design, the 17LD4220 is the ideal choice for the kitchen, bathroom or bedroom – and can be easily moved from one room to another.



- 43cm Visible LCD Widescreen Television
- Ultra Slim Design
- High Screen Resolution of 1280 x 768 pixels
- 2 SCART Sockets (RGB)
- Panel Luminance of 450cd/m²
- Built-in Speakers
- 2 x 3W RMS Output



Technical Specifications

Model	55PD5200 PLASMA	42PD7500 PLASMA	42PD7200 PLASMA
	1554 105	1230	1230
	943.5	756	756
	Y	¥	¥
PICTURE			
Screen Size	141cm Visible	106cm Visible	106cm Visible
Screen Type Resolution (Pixels)	Plasma 1366 x 768	Plasma 1024 x 1024	Plasma 1024 x 1024
Advanced Image Technology	1300 x 700	PICTURE MASTER	PICTURE MASTER
Panel Luminance (Typical)	1000cd/m²	1200cd/m ²	1200cd/m²
Contrast Ratio HDTV Ready	900:1	1000:1	1000:1
PaP/PaT/PinPC	●/●/●	•/•/•	●/●/●
Pixel Pitch (H x V) (mm)	0.90 x 0.90	0.90 x 0.51	0.90 x 0.51
Aspect Ratio	16:9	16:9	16:9
TUNER Programmes	200	200	200
Cable/Hyperband	•/•	•/•	•/•
UK Specifications European Specifications	PAL I I' PAL/SECAM/I I'/BG/H/L L'/DK	PALTI' UK ONLY	PAL I I' PAL/SECAM/I I'/BG/H/L L'/DK
VHF	FAL/SEGAWITT/DB/N/L L/DK	• OK OINET	• FAL/SECAIV/11/DG/N/L L/DK
UHF	•	•	•
Text Pages	20	250	250
VIDEO SIGNAL INPUT PAL/PAL60	0/0	•/•	•/•
SECAM	•	•	•
NTSC4.43/3.58	•/•	•/•	•/•
VIDEO CONNECTIONS HDMI Input (HDCP)		-/-	-/-
SCART Socket (RGB)	-/- 1 (1)	•/• 2 (1)	●/● 3 (2)
Component Video	•	•	•
Progressive Input (PAL/NTSC) S-VHS Video	•	•	•
Composite Video	•	•	•
Video Line Out (Phono)	•	•	•
AUDIO	0.4014	0.4914	0.4004
RMS Output Sound Effect	2 x 12W Matrix	2 x 12W Matrix	2 x 12W Matrix
TRUBASS	•	-	-
1 Bit Digital Amp Dynamic Bass	•	•	•
AUDIO CONNECTIONS			•
Audio Input	•	•	•
PC Audio Input Audio Line Out	•	•	•
Removable Speakers	•	•	•
Headphone Socket	-	•	•
Speaker Terminals	•	•	•
COMPUTER INPUT DVI/HDCP	•/•	•/•	0/0
15-pin D-sub	•	●/●	●/●
GENERAL Payor Consumption (Standby)	E20/M/ 20M	200141/204/	20014// 014/
Power Consumption/Standby Weight (Kg) (inc stand and speakers)	530W/<3W 80.35	380W/<3W 42.5	380W/<3W 42.5
Weight (Kg) (exc stand and speakers)	63.5	37	37
Dimensions (WxHxD) (mm) (inc stand and speakers) Dimensions (WxHxD) (mm) (exc stand and speakers)	1554 x 943.5 x 400 1394 x 857 x 105	1230 x 756 x 348 1050 x 675 x 110	1230 x 756 x 348 1050 x 675 x 96
Swivel Stand/Motorised	•/-	●/●	•/•
OSD Languages	UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT	UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT	UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT
IB Languages IDTV-DVB INTEGRATED	UK, F, GE, IT, SP	UK, F, GE, IT, SP, SWE, NOR	UK, F, GE, IT, SP, SWE, NOR
Digital Teletext	N/A	•	N/A
Interactive Services	N/A	•	N/A
EPG (Now Next/7 Day) Programme Reminder & Event Timer	N/A N/A	•/•/• •	N/A N/A
Multi Language Subtitle Decoding and Display	N/A	•	N/A
CA Socket	N/A	•	N/A
CERTIFICATION Safety	EN60065	ENCORE	ENCOOCE
Safety EMI	EN50013 class B	EN60065 EN50013	EN60065 EN50013
CE	EN55020, EN61000-3-2, EN61000-3-3	EN55020, EN61000-3-2, EN61000-3-3	EN55020, EN61000-3-2, EN61000-3-3
OPTIONAL ACCESSORIES	W. W		
	Wall Mount CMPAK55-42P	Wall Mount - PWT002	Wall Mount - PWT002

Technical Specifications

Model	42PD6600 PLASMA	42PD3200 PLASMA	37LD6600 LCD
	785	785	704
PICTURE Screen Size	106cm Visible	106cm Visible	94cm Visible
Screen Type Resolution (Pixels) Advanced Image Technology Panel Luminance (Typical) Contrast Ratio	Plasma 1024 x 1024 P 1200cd/m² 1000:1	Plasma 852 x 480 P 1500cd/m ² 10,000:1	94cm visible LCD 1366 x 768 ¹ 500cd/m ² 800:1
HDTV Ready PaP/PaT/PinPC Pixel Pitch (H x V) (mm) Aspect Ratio	• •/•/• 0.90 x 0.51 16:9	- •/•/• 1.08 x 1.08 16:9	•/•/• 0.6 x 0.6 16:9
TUNER Programmes Cable/Hyperband UK Specifications European Specifications VHF UHF Text Pages	100 •/• PAL I I' PAL/SECAM/I I'/BG//L L'/DK • 1000	100 ●/● PAL I I' PAL/SECAM/I I'/BG//L L'/DK ● 1000	100 •/• PAL I I' PAL/SECAM/I I'/BG//L L'/DK • 1000
VIDEO SIGNAL INPUT			
PAL/PAL60 SECAM NTSC4.43/3.58	•/• • •/•	•/• • •/•	•/• • •/•
VIDEO CONNECTIONS			
HDMI Input (HDCP) SCART Socket (RGB) Component Video Progressive Input (PAL/NTSC)	3	• 3 • • • • • • • • • • • • • • • • • •	2
S-VHS Video Composite Video Video Line Out (Phono)	• Via SCART	• • Via SCART	• • Via SCART
AUDIO			
RMS Output Sound Effect TRUBASS	2 x 10W - -	2 x 10W - -	2 x 8W - -
1 Bit Digital Amp Dynamic Bass	•	•	•
AUDIO CONNECTIONS			
Audio Input PC Audio Input Audio Line Out	•	•	•
Removable Speakers Headphone Socket Speaker Terminals	•	•	•
COMPUTER INPUT			
DVI/HDCP 15-pin D-sub	-/- •	-/- •	-/- •
GENERAL Power Consumption/Standby Weight (Kg) (inc stand and speakers) Weight (Kg) (exc stand and speakers)	340W/<3W 41 38	260W/<3W 41	180W/<3W
Weight (Ng) (exc stand and speakers) Dimensions (WxHxD) (mm) (inc stand and speakers) Dimensions (WxHxD) (mm) (exc stand and speakers) Swivel Stand/Motorised	1046 x 785 x 300 1046 x 728 x 97	35.5 1046 x 785 x 300 1046 x 728 x 97	21.4 934 x 704 x 300 934 x 647 x 101
OSD Languages IB Languages IDTV-DVB INTEGRATED	UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN	UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN	UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN
Digital Teletext Interactive Services EPG (Now Next/7 Day) Programme Reminder & Event Timer Multi Language Subtitle Decoding and Display CA Socket	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
CERTIFICATION	FAIRMONE	510000	FURNIS
Safety EMI CE	EN60065 EN50013 class B EN55020, EN61000-3-2, EN61000-3-3	EN60065 EN50013 class B EN55020, EN61000-3-2, EN61000-3-3	ENG0065 EN50013 EN55020, ENG1000-3-2, ENG1000-3-3
OPTIONAL ACCESSORIES	Wall Mount – PWT006	Wall Mount – PWT006	Wall Mount as supplied
	YVIII MIDUIK = 1 YY 1 DOD	YVAII MIUUIIL — FYYTUUU	Wall Mount – as supplied

37LD7200 LCD	32LD6600 LCD	32LD6200 LCD	26LD6600 LCD
1015	915	915	797 I 102
81cm Visible LCD 1366 x 768 PICTURE MASTER 500cd/m² 600:1 • •/•/• 0.51 x 0.51 16:9	82cm Visible LCD 1366 x 768 ¹ 550cd/m ² 800:1 • •/•/• 0.51 x 0.51 16:9	82cm Visible LCD 1366 x 768 550cd/m² 800:1 - - / - / -	66cm Visible LCD 1280 x 768 ³ 500cd/m³ 600:1 • •/•/• 0.14 x 0.42 16:9
200 •/• PAL I I' PAL/SECAM/I I'/BG/H/L L'/DK • 250	100 •/• PAL I I' PAL/SECAM/I I'/BG/L L'/DK • 1000	100 •/• PAL I I' PAL/SECAM/I I'/BG/H/L L'/DK • 10	100 •/• PALII' PAL/SECAM/II'/BG/LL'/DK • • 1000
•/• • •/•	•/• • •/•	•/• • •/•	•/• • •/•
•/• 3 (2) • • •	• 2 • • • • • Via SCART	- / - 2 - - • • Via SCART	• 2 • • • Via SCART
2 x 8W Matrix	2 x 8W - -	2 x 8W Wide 	2 x 8W - -
•	•	•	•
•/• •	-/- •	•/- •	-/- •
158W/<1-2W 25 18 1015 x 616 x 320 839 x 545 x 123 ●/● UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT UK, F, GE, IT, SP, SWE, NOR	180W/<3W 19.6 17.1 915 x 547 x 255 915 x 516 x 109 -/- UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN	170W/<3w 19.6 17.1 (exc stand) 915 x 547 x 253 915 x 517 x 114 (exc stand) - / - UK, F, GE, IT, SP, DK, SWE, TUR, CRO, DUT, POR, SLO UK, F, GE, IT, SP, DAN, SWE, DUT, NOR, FIN	to be advised to be advised to be advised 797 x 470 x 245 797 x 440 x 102 - / - UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN UK, F, GE, IT, SP, SWE, NOR, GRE, TUR, DUT, POR, DAN, FIN
N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
EN60065 EN50013 EN55020, EN61000-3-2, EN61000-3-3 Wall Mount – LWB327200	EN60065 EN50013 EN55020, EN61000-3-2, EN61000-3-3 Wall Mount – LWB2632	EN60065 EN50013 EN55020, EN61000-3-2, EN61000-3-3 Wall Mount – LWB2632	EN60065 EN50013 EN55020, EN61000-3-2, EN61000-3-3 Wall Mount – LWB2632

Technical Specifications

Model	26LD6200 LCD	17LD6200 LCD	17LD4220 LCD
	797	◀ 445 ▶ 66	445
	470	370	365
PICTURE Screen Size Screen Type	66cm Visible LCD	43cm Visible LCD	43cm Visible LCD
Resolution (Pixels) Advanced Image Technology Panel Luminance (Typical)	1280 x 768 450cd/m²	1280 x 768 450 cd/m²	1280 x 768 450 cd/m ²
Contrast Ratio HDTV Ready	500:1 -	400:1 -	400:1 -
PaP/PaT/PinPC Pixel Pitch (H x V) (mm) Aspect Ratio	- / - / - 0.44 x 0.44 16:9	-/-/ ● 0.289 x 0.289 15:9	-/-/ ◆ 0.289 x 0.289 15.9
TUNER	10.0	10.0	10.0
Programmes	100	100	100
Cable/Hyperband UK Specifications European Specifications	●/● PALII' PAL/SECAM/II'/BG/H/LL'/DK	●/● PAL I I' PAL/SECAM/I I'/BG/H/L L'/DK	●/● PAL I I' PAL/SECAM/I I'/BG/H/L L'/DK
VHF UHF Text Pages	• • 10	• • 7	• • • 7
VIDEO SIGNAL INPUT			
PAL/PAL60	•/•	•/•	•/•
SECAM NTSC4.43/3.58	• / •	• •/•	•
VIDEO CONNECTIONS	-1-	-1-	-1-
HDMI Input (HDCP) SCART Socket (RGB) Component Video	-/- 2 -	-/- 2(2)	-/- 2(2)
Progressive Input (PAL/NTSC) S-VHS Video Composite Video	•		•
Video Line Out (Phono)	Via SCART	-	-
AUDIO			
RMS Output Sound Effect TRUBASS	2 x 8W Wide -	2 x 3W NICAM/A2	2 x 3W NICAM/A2
1 Bit Digital Amp Dynamic Bass	•	-	
AUDIO CONNECTIONS			
Audio Input PC Audio Input Audio Line Out	•	•	•
Removable Speakers Headphone Socket Speaker Terminals	•	•	•
COMPUTER INPUT			
DVI/HDCP 15-pin D-sub	•/- •	-/-	-/- •
GENERAL			
Power Consumption/Standby Weight (Kg) (inc stand and speakers) Weight (Kg) (exc stand and speakers) Dimensions (WxHxD) (mm) (inc stand and speakers)	142W/<3W 12.6 N/A 797 x 470 x 245	<42W/<3W 5.35 4.8 445 x 370 x 189	<42W/<3W 4.8 N/A 45 x 365 x 175
Dimensions (WxHxD) (mm) (exc stand and speakers) Swivel Stand/Motorised OSD Languages	797 x 440 x 102 (exc stand) - / - UK, F, GE, IT, SP, DK, SWE, TUR, CRO, DUT, POR, SLO	445 x 325 x 66 (exc stand) -/- UK, F, GE, IT, SP, POR, SWE, DAN, TUR, NOR, NL, GRE, FIN	445 x 325 x 65 (exc stand) - / - UK, F, GE, IT, SP, POR, SWE, DAN, TUR, NOR, NL, GRE, FIN
IB Languages	UK, F, GE, IT, SP, DKN, SWE, FOR, CRO, DUT, POR, SEU UK, F, GE, IT, SP, DAN, SWE, DUT, NOR, FIN	UK, F, GE, IT, SP, PUR, SWE, DAIN, TUR, NUR, NE, GRE, FIN UK, F, GE, IT, SP, SWE, DUT, NOR	UK, F, GE, IT, SP, PUR, SWE, DAN, TUR, NUR, NL, GRE, FIN UK, F, GE, IT, SP, SWE, DUT, NOR
IDTV-DVB INTEGRATED			
Digital Teletext Interactive Services EPG (Now Next/7 Day)	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A
Programme Reminder & Event Timer Multi Language Subtitle Decoding and Display CA Socket	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A
CERTIFICATION	·	·	
Safety EMI CE	EN60065 EN50013 EN55020, EN61000-3-2, EN61000-3-3	EN60065 EN50013 EN55020, EN61000-3-2, EN61000-3-3	EN60065 EN50013 EN55020, EN61000-3-2, EN61000-3-3
OPTIONAL ACCESSORIES	L1100020, L1101000 0 2, L1101000 0 0	C1400020, L1401000 0 2, L1401000 0 0	E1100020, E1101000 0 2, E1101000 0 0
-	Wall Mount – LWB2632	None	None

Plasma and LCD Range

Stunning visuals. Awe-inspiring sound. Plasma and LCD Televisions from Hitachi redefine state-of-the-art home entertainment. Our flat panel displays are quite simply designed for life.



55PD5200 PLASMA





42PD6600 PLASMA

42PD7200 PLASMA



42PD3200 PLASMA



37LD6600 LCD



32LD7200 LCD



32LD6600 LCD



32LD6200 LCD



26LD6600 LCD



26LD6200 LCD



17LD6200 LCD



17LD4220 LCD

accessories - Choose from our range of options to meet your every need.



SPUST42 Speaker Stands (Table) 42PD7500 & 42PD7200 180(w) x 235(h) x 180(d) mm



PWT002 Wall Mount 42PD7500 & 42PD7200 550(w) x 445(h) x 30(d) mm



CMPAK55-42P Wall Mount 55PD5200 660(w) x 480(h) x 28(d) mm



LWB327200 Wall Mount 32LD7200 452(w) x 230(h) x 52(d) mm



LWB2632 Wall Mount 32LD6200 & 26LD6200 360(w) x 230(h) x 15(d) mm



HITACHI Inspire the Next

HITACHI DIGITAL MEDIA
Hitachi Europe Ltd
Whitebrook Park, Lower Cookham Road,
Maidenhead, Berkshire SL6 8YA
United Kingdom
Tel: +44 (0)1628 585 000 Fax: +44 (0)1628 585 500
www.hitachidigitalmedia.com

Design and specifications are subject to change without notice.

www.hitachidigitalmedia.com

Dealer stamp

XGA and VGA are registered trademarks of IBM Corp. Macintosh is a registered trademark of Apple Computer, Inc. All
other brand names and product names are trademarks, registered trademarks or trade names of their respective holder:
TRIBIASS is a positioned trademark of RSR 1 Johnstonies

When a plasma display is turned on, minute dots light up on the screen. Please be aware that some parts of the screen

mount light, while in other parts dots will always light. This is permed and is not a malfunction.

To prevent overheating of the plasma panel an air cooling system is used. To assure proper operation of this system, the
plasma display should be installed and operated in a vertical position. If the display is installed horizontally or at an
excessive angle, heat may not be effectively dissipated and overheating could occur. This could lead to a malfunction.

All on-screen images shown in this catalogue are simulated.
 Design and specifications are subject
 For vertical installation of plasma please refer to installation booklet for details.